

Talis M54

Single lever kitchen mixer 210, pull-out spout, 1jet, sBox

Surfaces: **Stainless Steel Finish** Article Number: **72803800**



Description

product features

- consists of: single lever kitchen mixer, hose box
- ComfortZone 210
- swivel range adjustable in 4 steps 60°, 110°, 150° or 360°
- normal spray
- connection dimension: DN15
- maximum flow rate at 3 bar: 7 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- temperature limitation adjustable
- integrated non-return valve
- suitable for continuous flow water heaters
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop
- extension length up to 76 cm

Technology



Design awards




reddot winner 2020

Product image




Scale drawing



Talis M54
Single lever kitchen mixer 210, pull-out spout, 1jet, sBox
 Surfaces: **Stainless Steel Finish** Article Number: **72803800**



Flowchart




Talis M54
 Single lever kitchen mixer 210, pull-out spout, 1jet, sBox
 Surfaces: **Stainless Steel Finish** Article Number: **72803800**



Exploded Drawing

Year of production: >04/20



Talis M54

Single lever kitchen mixer 210, pull-out spout, 1jet, sBox

Surfaces: **Stainless Steel Finish** Article Number: **72803800**



Spare part list

Year of production: >04/20

Pos.	Description	Article Number	Price	PU
1	spout cpl.	93739800	-	1
2	O-ring 8x2	98112000	-	1
3	filter	98516000	-	1
4	handspray	93747800	-	1
5	non return valve DW 10	96456000	-	1
6	aerator M24x1 (7 l/min)	95965000	-	1
7	special tool	95158000	-	1
8	set of lever collars	98365000	-	1
9	O-ring 19x2	98426000	-	1
10	O-ring 20x1,5	98197000	-	1
11	handle	93736800	-	1
12	hollow set screw M5x5	98446000	-	1
13	screw cover	93735610	-	1
14	flange	93737800	-	1
15	nut	93738000	-	1
16	O-ring 29x2	98391000	-	1
17	O-ring 30x1,5	98433000	-	1
18	cartridge, assy	93740000	-	1
19	O-ring 36x3	98052000	-	1
20	support	97523000	-	1
21	fixing set (Ø 34)	95049000	-	1
22	lever collar	97548000	-	1
23	hose	93754000	-	1
24	connection hose 900 mm M8x0,75 G3/8	93746000	-	1
25	O-ring 6,6x1,6	93019000	-	1
26	connection hose 450 mm M8x0,75 G3/8	97206000	-	1
27	O-ring 7x1,5	98422000	-	1
28	squeezing connection	96099000	-	1
29	extension set	43333000	-	1