

Croma Select S

Showerpipe 280 1jet with thermostat and hand shower Raindance Select S 120 3jet

Surfaces: **Matt White** Article Number: **26890700**



Description

product features

- consists of: overhead shower, hand shower, shower thermostat, shower hose, slider, shower bar
- overhead shower Croma 280
- shower head size overhead shower: 280 mm
- spray type overhead shower: RainAir
- ball-joint: overhead shower angle adjustable
- spray type hand shower: RainAir, Rain, Whirl
- maximum flow rate at 3 bar: 15 l/min
- flow rate RainAir spray (at 3 bar): 15 l/min
- flow rate Rain spray (at 3 bar): 11 l/min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/max. 10 bar
- pipe can be shortened in height
- shower bar diameter: 22 mm
- height-adjustable hand shower holder
- shower arm length overhead shower: 400 mm
- swivel shower arm
- thermostat Ecostat Comfort
- safety lock at 40°C
- adjustable hot water limitation
- outlets controlled via turning handle
- suitable for continuous flow water heaters
- mounting type: exposed installation
- connection dimension DN15
- connection thread G ½
- centre distance 150 ± 12 mm

Technology




Design awards



Product image



Scale drawing




Croma Select S

Showerpipe 280 1jet with thermostat and hand shower Raindance Select S 120 3jet

Surfaces: **Matt White** Article Number: **26890700**



Flowchart



Croma Select S


Showerpipe 280 1jet with thermostat and hand shower Raindance Select S 120 3jet

Surfaces: **Matt White** Article Number: **26890700**



Exploded Drawing

Year of production: >06/20



Croma Select S

Showerpipe 280 1jet with thermostat and hand shower Raindance Select S 120 3jet

Surfaces: **Matt White** Article Number: **26890700**



Spare part list

Year of production: >06/20

| Pos. | Description | Article Number | Price | PU |
|------|---|----------------|-------|----|
| 1 | mounting set | 96179000 | - | 1 |
| 2 | wall flange | 95688000 | - | 1 |
| 3 | tile-matching-disk 7 mm | 95239000 | - | 1 |
| 4 | escutcheon Ø 60 mm | 95692700 | - | 1 |
| 5 | O-ring 20x2,5 | 92602000 | - | 1 |
| 6 | screw | 92137000 | - | 1 |
| 7 | hollow set screw M6x5 | 98447000 | - | 1 |
| 8 | sleeve | 92166700 | - | 1 |
| 9 | shower arm | 95985700 | - | 1 |
| 10 | head shower | 26220700 | - | 1 |
| 11 | filter insert | 97708000 | - | 1 |
| 12 | ball joint | 98941700 | - | 1 |
| 13 | lock washer | 98942700 | - | 1 |
| 14 | nut | 97958700 | - | 1 |
| 15 | lever collar | 97536000 | - | 1 |
| 16 | seal | 97606000 | - | 1 |
| 17 | air jet (Eco) | 95795700 | - | 1 |
| 18 | O-ring 7x2 | 98419000 | - | 1 |
| 19 | O-ring 15x2,5 | 98131000 | - | 1 |
| 20 | pipe 1030 mm | 95915700 | - | 1 |
| 21 | noise reduction | 95009000 | - | 1 |
| 22 | O-ring 12x2,25 | 98382000 | - | 1 |
| 23 | support, assy | 97651700 | - | 1 |
| 24 | handshower | 26530700 | - | 1 |
| 25 | shower hose Isiflex'B 1,60 m | 28276700 | - | 1 |
| 26 | seal | 98058000 | - | 1 |
| 27 | O-ring 14x2 | 98129000 | - | 1 |
| 28 | Thermostat | 92147700 | - | 1 |
| 29 | handle | 95836700 | - | 1 |
| 30 | pushbutton | 92848700 | - | 1 |
| 31 | handle fixing set | 95843000 | - | 1 |
| 32 | safety set | 95839000 | - | 1 |
| 33 | nut | 98913000 | - | 1 |
| 34 | O-ring 26x1,5 | 98390000 | - | 1 |
| 35 | thermostat cartridge | 98282000 | - | 1 |
| 36 | cartridge for exchanged connections | 92373000 | - | 1 |
| 37 | stop ring for flow control | 95927000 | - | 1 |
| 38 | shut off unit with selector | 98283000 | - | 1 |
| 39 | set of nuts | 96157700 | - | 1 |
| 40 | non return valve (pressure-resistant up to 2 MPa) | 93136000 | - | 1 |
| 41 | non return valve | 96737000 | - | 1 |

Croma Select S**Showerpipe 280 1jet with thermostat and hand shower Raindance Select S 120 3jet**Surfaces: **Matt White** Article Number: **26890700****Spare part list**

Year of production: >06/20

| Pos. | Description | Article Number | Price | PU |
|-------------|--------------------------|-----------------------|--------------|-----------|
| 42 | filter packing | 96922000 | - | 1 |
| 43 | escutcheon Ø 68 mm | 96467700 | - | 1 |
| 44 | noise reduction | 96429000 | - | 1 |
| 45 | set of S-unions (±12 mm) | 94140000 | - | 1 |
| 46 | mounting set | 98716000 | - | 1 |
| 47 | O-Ring 50x2 | 98187000 | - | 1 |
| 48 | O-ring 20x2 | 98165000 | - | 1 |