

Metropol

Single lever basin mixer 230 with lever handle and push-open waste set

Surfaces: **Matt Black** Article Number: **32511670**



Description

product features

- consists of: single lever basin mixer, waste set
- ComfortZone 230
- projection 165 mm
- swivel range 120°
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- push-open waste set G 1¼
- material waste set: metal
- connection type: G ¾ connections
- connection dimension: DN15
- handle position on the side: bottom-side at the base body (not suitable for wash bowls)

Technology




Design awards



Product image



Scale drawing



Metropol**Single lever basin mixer 230 with lever handle and push-open waste set**Surfaces: **Matt Black** Article Number: **32511670**

Flowchart




Metropol
Single lever basin mixer 230 with lever handle and push-open waste set
 Surfaces: **Matt Black** Article Number: **32511670**



Exploded Drawing

Year of production: >07/21



Metropol

Single lever basin mixer 230 with lever handle and push-open waste set

Surfaces: **Matt Black** Article Number: **32511670**



Spare part list

Year of production: >07/21

Pos.	Description	Article Number	Price	PU
1	spout 165 mm	93084670	-	1
2	spray former	93085000	-	1
3	O-ring 30x1,5	98433000	-	1
4	O-ring 8x2	98112000	-	1
5	hollow set screw M6x10 DIN 916	96029000	-	1
6	handle	93082670	-	1
7	screw cover	95704000	-	1
8	flange	95493670	-	1
9	nut	93086000	-	1
10	O-Ring 22x2	98185000	-	1
11	O-ring 27x1,5	92527000	-	1
12	cartridge, assy	97685000	-	1
13	seal	98865000	-	1
14	plug	93087000	-	1
15	screw	93088000	-	1
16	escutcheon	93048670	-	1
17	O-ring 32x1,5	92936000	-	1
18	O-ring 24x2	98388000	-	1
19	O-ring 26x1,5	98390000	-	1
20	flat seal	98749000	-	1
21	fixing set (Ø 32)	13961000	-	1
22	lever collar	97548000	-	1
23	connection hose 450 mm M8x0,75 G3/8	97206000	-	1
24	O-ring 6,6x1,6	93019000	-	1
a	push-open waste set	50100670	-	1
b	fixation extension 35 mm	13898000	-	1