

Metropol

Single lever shower mixer for exposed installation with lever handle

Surfaces: **Brushed Black Chrome** Article Number: **32560340**



Description

product features

- 1 function
- connection type: s-shaped connections
- centre distance: 150 ± 12 mm
- maximum flow rate at 3 bar: 16 l/min
- flow rate of hand shower at 3 bar: 16 l/min
- ceramic cartridge
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- temperature limitation adjustable
- non-return valve
- with silencer
- hose connection DN15
- connection dimension: DN15


Design awards



Product image




Scale drawing



Metropol
Single lever shower mixer for exposed installation with lever handle
 Surfaces: **Brushed Black Chrome** Article Number: **32560340**



Flowchart




Metropol
Single lever shower mixer for exposed installation with lever handle
 Surfaces: **Brushed Black Chrome** Article Number: **32560340**



Exploded Drawing

Year of production: >07/19



Metropol

Single lever shower mixer for exposed installation with lever handle

Surfaces: **Brushed Black Chrome** Article Number: **32560340**



Spare part list

Year of production: >07/19

Pos.	Description	Article Number	Price	PU
1	handle	93075340	-	1
2	screw cover	96338000	-	1
3	flange	97406340	-	1
4	nut	97209000	-	1
5	O-Ring 32x2	98193000	-	1
6	cartridge, assy	92730000	-	1
7	locking screw for handle	95140000	-	1
8	seal	95008000	-	1
9	Hose Connection	96044340	-	1
10	O-ring 14x2	98129000	-	1
11	set of non return valves DW 15	94074000	-	1
12	set of nuts	96157340	-	1
13	connecting thread	97220000	-	1
14	O-ring 15x2	98163000	-	1
15	filter packing	96922000	-	1
16	escutcheon	93077340	-	1
17	set of S-unions (±12 mm)	94140000	-	1
18	noise reduction	96429000	-	1